

Message

From: Behnke, Kristina [behnke.kristina@epa.gov]
Sent: 6/15/2017 10:04:58 PM
To: rmorrisroe@eastchicago.com
CC: cmoore@ecpl.org; Drexler, Timothy [drexler.timothy@epa.gov]; Hassan, Jacob [hassan.jacob@epa.gov]; Haag, Daniel [Haag.Daniel@epa.gov]; Rolfes, Sarah [Rolfes.Sarah@epa.gov]; Brown, Jaime [brown.jaime@epa.gov]; Borries, Samuel [borries.samuel@epa.gov]; Chingcuanco, Leonardo [Chingcuanco.Leonardo@epa.gov]; Kaiser, Steven [kaiser.steven@epa.gov]
Subject: RE: Clearance to reopen Martin Luther King Center Reading Room, East Chicago, Indiana
Attachments: Consent for Property Access (Indoor Dust) Zone 2-3 Residents 2017 Version.docx

Good afternoon Mr. Morrisroe,

US EPA hasn't conducted interior dust sampling at the MLK Center. Last year, dust sampling was requested by Mr. Moore but we never received a signed access agreement. I'm attaching a copy of our dust sampling access agreement. We can conduct dust sampling in the reading room and provide that data and how it compares to our health-based screening levels.

If you are agreeable to the sampling, please have the appropriate party sign the attached access agreement and return it to us. We will then coordinate with Mr. Moore to schedule the sampling.

Please call me, Steve, or Leo with any questions or concerns with this proposal.

Thank you,

Kristina Behnke

On-Scene Coordinator
 U.S. Environmental Protection Agency
 77 W. Jackson Blvd. (SE-5J)
 Chicago, IL 60604
 Office: (312) 353-1057
 Fax: (312) 692-2406
 Cell: (312) 237-5685
 Behnke.Kristina@epa.gov

From: Richard Morrisroe [mailto:RMorrisroe@eastchicago.com]
Sent: Thursday, June 15, 2017 10:06 AM
To: Behnke, Kristina <behnke.kristina@epa.gov>
Cc: cmoore@ecpl.org
Subject: FW: Clearance to reopen Martin Luther King Center Reading Room, East Chicago, Indiana

Kristina,

Thank you for calling and helping Tim address the Public Library issue. I am forwarding yesterday's email.

Richard Morrisroe, JD
 Assistant City Attorney
 City of East Chicago
 219-391-8291
rmorrisroe@eastchicago.com

From: Richard Morrisroe
Sent: Wednesday, June 14, 2017 3:24 PM
To: 'drexler.timothy@epa.gov'
Cc: 'behnke.christina@epa.gov'; 'cmoore@ecpl.org'; Richard Morrisroe
Subject: FW: Clearance to reopen Martin Luther King Center Reading Room, East Chicago, Indiana

Tim,

My 3:13 PM email lacks Charles Moore's address. His email address is: cmoore@ecpl.org

From: Richard Morrisroe
Sent: Wednesday, June 14, 2017 3:13 PM
To: 'drexler.timothy@epa.gov'
Cc: 'behnke.christina@epa.gov'
Subject: Clearance to reopen Martin Luther King Center Reading Room, East Chicago, Indiana

Timothy Drexler,
EPA Region V
Chicago, Illinois

Tim,

Attached find the Inquiry Letter of Charles Moore, Interim Director of the East Chicago Public Library. The letter is self-explanatory. An email approving the reopening of the Reading Room should be sufficient for Mr. Moore and the Library Board. Please copy me with the approval email.

Carla Morgan is still doing important legal work for the city. However she no longer comes daily to the Law Department. If I can be of any assistance, please do not hesitate to call.

Thank you for assistance with this matter

Richard Morrisroe, JD
Assistant City Attorney
City of East Chicago
219-391-8291
rmorrisroe@eastchicago.com

Disclaimer

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**, an innovator in Software as a Service (SaaS) for business. Providing a **safer** and **more useful** place for your human generated data. Specializing in; Security, archiving and compliance. To find out more [Click Here](#).